

*ALIENWARE 34 GAMING MONITOR
AW3425DWM*



EXPANSIVE DETAIL IN ULTRAWIDE QHD

ALIENWARE™ 



TABLE OF CONTENTS

Feature Overview	3-5
Dimension & Weight	6
Connectivity Options	7
Warranty	8
Technical Specifications	9

EXPANSIVE ULTRAWIDE VISUALS



 VESA CERTIFIED
DisplayHDR™ 400

Whether you're exploring open worlds or completing challenges, you'll never miss a detail thanks to **WQHD resolution (3440x1440)** and a **34" ultrawide panel** with a **1500R curve**.

Enjoy vibrant colors with **DCI-P3 95% color coverage** and **VESA DisplayHDR 400 certification**.

The **hardware-based low blue light solution** makes long gaming sessions easy on the eyes without sacrificing color accuracy.

- **WQHD resolution:** Immersive ultrawide detail
- **1500R curve:** Maintains image consistency
- **DCI-P3 95%:** Realistic colors
- **VESA DisplayHDR 400:** Strong contrast
- **Console mode:** Optimal color performance with connected game consoles

ALIENWARE™ 

FLUID AND RESPONSIVE



AMD
FreeSync
Premium

VESA CERTIFIED
AdaptiveSync **DISPLAY 180**

Get in the game with a smooth **180Hz** refresh rate, **1ms gray to gray response time**, **AMD FreeSync™ Premium** and **VESA AdaptiveSync** technology.

- **180Hz:** Smooth motion and gameplay
- **1ms GtG:** Reduced ghosting and blurring
- **FreeSync™ Premium & AdaptiveSync:** Eliminates screen tear and stutter

High-bandwidth HDMI 2.1 FRL supports **variable refresh rate** to eliminate screen tear and stuttering, and **auto low latency mode** for responsive gaming inputs.

ALIENWARE™ 

A NEW DESIGN MADE FOR GAMERS



New AW30 design in Interstellar Indigo colorway


Elegant 360-degree ventilation: **Keeps temps down**

Small space-saving base: **More room** for keyboard placement and mouse movement

Convenient stand: **Simple cable management**, plus **height and tilt** adjustability

A L I E N W A R E™ 

DIMENSIONS AND WEIGHT



1. Monitor height with stand:
Extended: 21.84 in (554.69 mm)
Compressed: 17.51 in. (444.69 mm)
2. Monitor width: 31.71 in. (805.45 mm)
3. Monitor height: 14.21 in. (360.85 mm)
4. Monitor depth: 5.21 in. (132.57 mm)

Weight:

- With stand: 20.04 lb (9.09 kg)
- Without stand: 14.48 lb (6.57 kg)

CONNECTIVITY



1. Power Connector
2. Security-lock slot
3. Joystick
4. HDMI 2.1 FRL port (x2)
5. DisplayPort 1.4
6. USB 5Gbps Type-B upstream port
7. USB 5Gbps Type-A downstream port
8. USB 5Gbps Type-A downstream port with Battery Charging 1.2

Cables included:

- Power Cable
- 1 DisplayPort cable - 1.80 m
- 1 HDMI cable - 1.80 m
- 1 USB Type-A to Type-B 5Gbps cable - 1.80 m

PREMIUM SUPPORT



Dell Premium Panel Exchange allows a free panel replacement during the Limited Hardware Warranty* period even if only one bright pixel is found within 3 years. Premium Panel Exchange is not a standard or upsell Support service.

The monitor also comes with **Advanced Exchange Service****. If, after remote diagnosis, a monitor replacement becomes necessary, it will be shipped to you the next business day.

* For a copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see <http://www.dell.com/warranty>.

** Advanced Exchange Service replaces hardware after remote diagnosis. The customer must return the original hardware to Dell according to the rules specified. Advanced Exchange Service is subject to country availability. (c) For complete details about On-site Service or Advanced Exchange Service, see dell.com/servicecontracts

ALIENWARE™ 

ALIENWARE 34 GAMING MONITOR – AW3425DWM

TECH SPECS

Monitor Marketing Name	Alienware 34 Gaming Monitor - AW3425DWM
Diagonal Viewing Size	864.3 mm (34.0 in.)
Panel Type	Vertical Alignment (VA) Technology
Maximum Preset Resolution	3440 x 1440 up to 180 Hz
Viewing Angle	Horizontal: 178°, Vertical: 178°
Pixel Pitch	Horizontal: 0.23175 mm, Vertical: 0.23175 mm
Pixel Per Inch (PPI)	110
Contrast Ratio	3000:1 (typical)
Aspect Ratio	21:9
Backlight Technology	LED Edgelight System
Brightness	400 cd/m ² (typical)
HDR	VESA DisplayHDR 400
Response Time	Fast: 4 ms, Super Fast: 2 ms, Extreme: 1 ms (gray to gray)
Color Gamut	DCI-P3 95% (CIE 1976) (typical)
Color Depth	1.07 billion colors
TÜV Low Blue Light	Yes, ComfortView Plus (Hardware solution)
Video Ports	<ul style="list-style-type: none">• 2 HDMI ports (HDCP 1.4 & 2.3) (Supports up to WQHD 3440 x 1440, 180 Hz, 10 bit, FRL, VRR as per specified in HDMI 2.1)• 1 DisplayPort 1.4 (HDCP 1.4 & 2.3) (Supports up to WQHD 3440 x 1440, 180 Hz, DSC, HDR, VRR)
USB Ports	<ul style="list-style-type: none">• 2 USB 5Gbps Type-A downstream port (1 with battery charging 1.2)• 1 USB 5Gbps Type-B upstream port
Variable Refresh Rate	AMD FreeSync™ Premium, VESA AdaptiveSync
Adjustability	Height: 110 mm, Tilt: -5°/+21°, Pivot: -5°/+5°
Display Screen Coating	Anti-glare with hard-coating 3H
PbP / PiP / KVM	Picture by Picture (PbP), Picture in Picture (PiP)
Daisy Chain Availability	Not Applicable
Software Compatibility	Alienware Command Center (AWCC) for Windows
Voltage Required	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/1.5 A
Power Consumption	Off: 0.3 W, Standby: 0.3 W, On: 32 W, Max: 85 W
Energy Efficiency Class	G
Audio Output	Not Applicable
Dimensions (With Stand)	Width: 31.71 in. (805.45 mm), Depth: 9.13 in. (232.00 mm), Height (Extended): 21.84 in. (554.69 mm), Height (Compressed): 17.51 in. (444.69 mm)
Dimensions (Without Stand)	Width: 31.71 in. (805.45 mm), Depth: 5.21 in. (132.46 mm), Height: 14.21 in. (360.85 mm)
Weight (With Packaging)	30.92 lb (14.02 kg)
Weight (Without Stand)	14.48 lb (6.57 kg)
Flat Panel Mount Interface	VESA (100 mm x 100 mm)
Security	Security lock slot (cable lock sold separately)
Environmental Compliance	RoHS Compliant, Arsenic-Free glass, Mercury-Free panel
Operating Temperature Range	0°C to 40°C (32°F to 104°F)
Non-Operating Temperature Range	-20°C to 60°C (-4°F to 140°F)
Operating Humidity Range	10% to 80% (non-condensing)
Non-Operating Humidity Range	5% to 90% (non-condensing)
Altitude (Operating)	5,000 m (16,400 ft) maximum
Altitude (Non-Operating)	12,191 m (40,000 ft) maximum
What's Included	Monitor, Stand, Power Cable, Display Port 1.4 (1.8m), HDMI cable (1.8m), USB Type-A to Type-B 5Gbps cable (1.8m) etc.