



Breeze through everyday tasks

Dell 24 Monitor


MODEL: SE2425HM

Dell 27 Monitor

MODEL: SE2725HM

The world's # 1 monitor company*

* Dell monitors are #1 Worldwide for 10 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2024. From 2014 to 2024. CLM-005299



Breeze through everyday tasks with these 23.8" and 27" monitors certified by TÜV Rheinland for 3-star eye comfort.

Enjoy extended viewing with enhanced eye comfort

Enjoy visual well-being with ComfortView Plus, engineered to minimize harmful blue light exposure without sacrificing color accuracy. Coupled with a 100Hz refresh rate, these monitors achieve TÜV Rheinland® 3-star eye comfort certification¹ — the latest industry standard for eye comfort to help reduce signs of eye fatigue.

Dependable from every angle

Contemporary design with thin bezels mean you see more with less distraction for better way to work or play.

Get superb clarity in FHD resolution with minimized reflections. With In-Plane Switching (IPS) technology, these monitors offer a wide 178°/178° viewing angle, so you can experience excellent color accuracy and consistency.

Functional, space-saving design

Connect with ease with simple connectivity to most PCs, current or legacy, via HDMI or VGA. These monitors feature a small footprint and built-in power supply unit and cable holder to keep your space neat and organized. You can easily tilt the monitor to get just the right viewing angle or hook it up with a compatible VESA mount.

¹ TÜV Rheinland certified - Low Blue Light Hardware Solution and Flicker Free (ID 0217010014).

**Improved visual comfort**

Enjoy visual well-being with ComfortView Plus, engineered to minimize harmful blue light exposure without sacrificing color accuracy. Coupled with a 100Hz refresh rate, these monitors deliver a TÜV Rheinland 3-star¹ certified viewing experience.

**Dependable from every angle**

See excellent color accuracy and consistency across wide viewing angles with In-plane Switching (IPS) technology.

**Space-saving design**

Keep your space neat with this small footprint monitor featuring a built-in power supply unit and cable holder.

**Easily connect**

Simple connectivity to most PCs, current or legacy, via HDMI or VGA.

World's number 1 monitor company*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

* Dell monitors are #1 Worldwide for 10 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2024. From 2014 to 2024. CLM-005299

1 TÜV Rheinland certified - Low Blue Light Hardware Solution and Flicker Free (ID 0217010014).



Environmentally-forward thinking

Material innovation

Your monitor has been thoughtfully crafted with a selection of sustainable materials including 85% post-consumer recycled plastic and closed-loop ITE-derived plastic¹, and at least 20% recycled glass.² Using recycled materials helps conserve natural resources and contributes to a lower environmental footprint.

Low impact packaging

This monitor ships in a box made with 100% renewable content that is also recyclable.³

Energy conservation and environmental standards

This monitor is certified ENERGY STAR^{®4} meaning it meets high standards for energy efficiency.


1 Based on internal analysis, January 2025. Percentage is based on plastic weight. Up to 35% post-consumer recycled plastic and up to 85% closed loop plastic.

2 Applicable to all new monitors launching in CY 2024. Recycled glass is present in monitor panel. Based on internal analysis, January 2024.

3 Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, August 2023.

4 Based on internal analysis, June 2024.

Ports & Slots



- 1 Security lock slot¹
- 2 Power connector
- 3 HDMI
- 4 VGA

Cables included

- Power cable
- HDMI cable

¹ Based on Kensington Security Slot™

FEATURE	TECHNICAL SPECIFICATION	
MODEL	Dell 24 Monitor - SE2425HM	Dell 27 Monitor - SE2725HM
DIAGONAL VIEWING SIZE	604.7 mm (23.8 in.)	686.0 mm (27.0 in.)
PANEL TYPE	In-Plane Switching (IPS) Technology	In-Plane Switching (IPS) Technology
MAXIMUM PRESET RESOLUTION AND REFRESH RATE	1920 x 1080 up to 100Hz	1920 x 1080 up to 100 Hz
VIEWING ANGLE	178° vertical 178° horizontal	178° vertical 178° horizontal
PIXEL PITCH	0.2745 mm x 0.2745 mm	0.3114 mm x 0.3114 mm
PIXEL PER INCH (PPI)	93	81
CONTRAST RATIO	1000:1 (typical)	1000:1 (typical)
ASPECT RATIO	16:9	16:9
BACKLIGHT TECHNOLOGY	LED Edgelight System	LED Edgelight System
BRIGHTNESS	250 cd/m ² (typical)	250 cd/m ² (typical)
RESPONSE TIME	• 5 milliseconds (gray to gray - fast mode) • 8 milliseconds (gray to gray - normal mode)	• 5 milliseconds (gray to gray - fast mode) • 8 milliseconds (gray to gray - normal mode)
COLOR GAMUT	NTSC minimum 72% (CIE 1931)	NTSC 72% (CIE 1931)
COLOR DEPTH	16.7 Million colors	16.7 Million colors
TÜV RHEINLAND EYE COMFORT	3-Stars	3-Stars
CONNECTIVITY	• 1 x HDMI (HDCP 1.4) (supports up to FHD 1920 x 1080 100Hz as per specified in HDMI 1.4) • 1 x VGA connector	• 1 x HDMI port (HDCP 1.4) (Supports up to FHD 1920 x 1080, 100Hz as per specified in HDMI 1.4) • 1 x VGA connector
ADJUSTABILITY	Tilt -5°/+21°	Tilt -5°/+21°
DISPLAY SCREEN COATING	Anti-glare with hard-coating 3H	Anti-glare with hard-coating 3H
DAISY CHAIN AVAILABILITY	Not Applicable	Not Applicable
SOFTWARE COMPATIBILITY	Not Applicable	Not Applicable
VOLTAGE REQUIRED	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/0.7 A (typical)	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/1.5 A (typical)
POWER CONSUMPTION	• 0.3 W (Off mode) ¹ • 0.3 W (Standby mode) ¹ • 12.8 W (On mode) ¹ • 28.5 W (Max.) ² • 12.11 W (Pon) ³ • 38.84 kWh (TEC) ³	• 0.3 W (Off mode) ¹ • 0.3 W (Standby Mode) ¹ • 16.3 W (On Mode) ¹ • 28 W (Max.) ² • 16.33 W (Pon) ³ • 51.78 kWh (TEC) ³
AUDIO OUTPUT	Not Applicable	Not Applicable
HEIGHT WITH STAND	412.26 mm (16.23 in.)	453.71 mm (17.86 in.)
WIDTH WITH STAND	538.64 mm (21.21 in.)	611.10 mm (24.06 in.)
DEPTH WITH STAND	178.81 mm (7.04 in.)	199.87 mm (7.87 in.)
HEIGHT WITHOUT STAND	324.21 mm (12.76 in.)	361.86 mm (14.25 in.)
WIDTH WITHOUT STAND	538.64 mm (21.21 in.)	611.10 mm (24.06 in.)
DEPTH WITHOUT STAND	47.70 mm (1.88 in.)	49.22 mm (1.94 in.)

¹ As defined in EU 2019/2021 and EU 2019/2013.

² Max brightness and contrast setting with maximum power loading on all USB ports.

³ Pon: Power consumption of On mode as defined in Energy Star 8.0 version. TEC: Total energy consumption in kWh as defined in Energy Star 8.0 version.

FEATURE	TECHNICAL SPECIFICATION	
MODEL	Dell 24 Monitor - SE2425HM	Dell 27 Monitor - SE2725HM
WEIGHT (WITH PACKAGING)	5.01 kg (11.05 lb)	6.58 kg (14.50 lb)
WEIGHT (PANEL ONLY - FOR VESA MOUNT)	2.80 kg (6.17 lb)	3.56 kg (7.84 lb)
WEIGHT WITH STAND ASSEMBLY AND CABLES	3.47 kg (7.65 lb)	4.40 kg (9.69 lb)
FLAT PANEL MOUNT INTERFACE	VESA (100 mm x 100 mm)	VESA (100 mm x 100 mm)
SECURITY	Security lock slot (cable lock sold separately)	Security lock slot (cable lock sold separately)
COMPLIANT STANDARDS	<ul style="list-style-type: none">ENERGY STAR 8.0RoHS CompliantProduct Safety, EMC and Environmental DatasheetsDell Regulatory Compliance Home PageDell and the EnvironmentTÜV Rheinland Eye Comfort 3-StarsBFR/PVC reduce monitor. (The circuit boards are made from BFR/PVC-free laminates.)Meets NFPA 99 leakage current requirements.Arsenic-Free glass and Mercury-Free for the panel only.	<ul style="list-style-type: none">ENERGY STAR 8.0RoHS CompliantProduct Safety, EMC and Environmental DatasheetsDell Regulatory Compliance Home PageDell and the EnvironmentTÜV Rheinland Eye Comfort 3-StarsBFR/PVC reduce monitor (The circuit boards are made from BFR/PVC-free laminates)Meets NFPA 99 leakage current requirements.Arsenic-Free glass and Mercury-Free for the panel only.
TEMPERATURE RANGE	<ul style="list-style-type: none">Operating: 0°C to 40°C (32°F to 104°F)Non-operating: -20°C to 60°C (-4°F to 140°F)	<ul style="list-style-type: none">Operating: 0°C to 40°C (32°F to 104°F)Non-operating: -20°C to 60°C (-4°F to 140°F)
HUMIDITY RANGE	<ul style="list-style-type: none">Operating: 10% to 80% (non-condensing)Non-Operating: 5% to 90% (non-condensing)	<ul style="list-style-type: none">Operating: 10% to 80% (non-condensing)Non-Operating: 5% to 90% (non-condensing)
ALTITUDE	<ul style="list-style-type: none">Operating: 5,000 m (16,400 ft) maximumNon-operating: 12,191 m (40,000 ft) maximum	<ul style="list-style-type: none">Operating: 5,000 m (16,400 ft) maximumNon-operating: 12,191 m (40,000 ft) maximum
WHAT'S INCLUDED	<ul style="list-style-type: none">Monitor with standPower cable1 x HDMI cable - 1.8 mQR cardSafety Information	<ul style="list-style-type: none">Monitor with standPower cable1 x HDMI cable - 1.8 mQR cardSafety Information
STANDARD SERVICE PLAN	<ul style="list-style-type: none">(US/Canada) 1-year Advanced Exchange Service¹(WW) 3-year Advanced Exchange Service¹	<ul style="list-style-type: none">(US/Canada) 1-year Advanced Exchange Service¹(WW) 3-year Advanced Exchange Service¹

¹ Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.