




# Endless entertainment

Dell 32 Plus 4K Monitor

**MODEL: S3225QS**

The world's # 1 monitor company\*

\* Source: IDC Worldwide Quarterly PC Monitor Tracker, Q4 2024. CLM-005299



## Enjoy an immersive entertainment experience on a 31.5-inch, 4-star certified monitor for eye comfort.<sup>1</sup>

### Enhanced eye comfort

This 31.5" monitor achieves TÜV Rheinland® 4-star eye comfort certification — the latest industry standard for eye comfort to help reduce signs of eye fatigue.

Benefit from improved ComfortView Plus, a built-in feature that reduces blue light emission to ≤35%, and AMD FreeSync™ Premium (up to 120Hz refresh rate) that delivers smoother motion visuals, ensuring seamless viewing experience for your entertainment.

Enjoy vibrant, true-to-life colors with 99% sRGB and 95% DCI-P3 coverage. The VA panel with 3000:1 contrast ratio and HDR readiness delivers stunning depth, detail and realism.

### Built-in acoustic excellence

Enjoy impressive audio with the integrated dual 5W speakers with a wide dynamic range. Easy options of 5 preset and 1 customizable audio profiles to tailor for every moment.

### All-day comfort

Designed with a sleek, modern aesthetic and an ash white finish, this display features ultra-thin bezels for a refined, minimalist design.

Additionally, you can customize your viewing experience by tilting, slanting, or adjusting the monitor's height for all-day comfort.

<sup>1</sup> TÜV Rheinland® 4-star eye comfort certification.

**Enhanced eye comfort**


Enjoy extended viewing or gaming sessions with enhanced eye comfort, coupled with AMD FreeSync™ Premium (up to 120Hz refresh rate) for smooth visuals, ensuring a seamless experience. And, improved ComfortView Plus feature reduces harmful blue light emissions without sacrificing color performance.

**Audio re-engineered**

Experience tailored audio perfection with integrated dual 5W speakers featuring preset tuned audio profiles.

**Comfort from every angle**

Customize your viewing experience by tilting, slanting, or adjusting the monitor's height for all-day comfort.

**Easy connectivity**


The side-access design includes a HDMI port, ensuring quick and convenient setup.

▶ [Click here to explore more.](#)

**World's number 1 monitor company\***


We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

# Smart design. Effortless experience.



## Connect with ease

The side-access design includes an HDMI port, ensuring quick and convenient setup.



## Easy-to-use


Navigate the onscreen menu and adjust settings with a convenient joystick control.

## Comfort from every angle

Tilt, slant and adjust the height (up to 100mm) of your monitor for all-day comfort.

## Dell Display and Peripheral Manager

Easy Arrange<sup>1</sup> tiles apps across screens with pre-set partitions and customizes up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.



<sup>1</sup> Requires Dell Display and Peripheral Manager software installation. Screen image simulated for illustrative purposes only. Monitor model varies.





# Made for you, sustainably

## Intentional design in every part

At the heart of our design is a commitment to sustainability. That's why our monitor is crafted with recycled materials from top to bottom, including up to 85% post-consumer recycled plastic<sup>1</sup>, 100% recycled aluminum<sup>2</sup>, 50% recycled steel<sup>3</sup>, and at least 20% recycled glass<sup>4</sup>, making up to 46% recycled content by weight<sup>5</sup>. Using these materials helps reduce waste and lower environmental impact.

## Environmental standards

This monitor is certified ENERGY STAR®, meaning it has met high standards for energy efficiency.

## Seamlessly modernize your tech

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.

## Packaging with purpose

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution.<sup>6</sup> Plus, we're saving over 600 trees each year by using less paper in packaging.<sup>7</sup>

<sup>1</sup> Percentage is based on plastic weight. Based on internal analysis, March 2025. Up to 86.9% post-consumer recycled plastic and up to 46.6% closed loop ITE-derived plastic.

<sup>2</sup> Based on internal analysis, January 2025. Recycled aluminum is in the monitor stand.

<sup>3</sup> Based on internal analysis, January 2025. Recycled steel is in the monitor head.


<sup>4</sup> Applicable to all new monitors launching in CY 2025. Recycled glass is present in monitor panel. Based on internal analysis, January 2025.

<sup>5</sup> Based on internal analysis, January 2025.

<sup>6</sup> Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, January 2025. Cushions now made from corrugated materials.

<sup>7</sup> Based on internal analysis, February 2025. Applies to monitors launching in 2025. Reductions based on monitor type and attributed to the quick start guide size and calibration sheet digitization. Calculation for trees saved based on: Detailed Calculator | 10 THOUSAND TREES. <https://www.omnicalculator.com/everyday-life/paper-weight>.

# Ports & Slots



- 1 HDMI
- 2 HDMI
- 3 DisplayPort 1.4
- 4 Stand lock
- 5 Security lock slot<sup>1</sup>
- 6 Power connector
- 7 Speakers

<sup>1</sup> Based on Kensington Security Slot™

FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell 32 Plus 4K Monitor - S3225QS
DIAGONAL VIEWING SIZE	800.1 mm (31.5 in.)
PANEL TYPE	Vertical Alignment (VA) Technology
MAXIMUM PRESET RESOLUTION AND REFRESH RATE	3840 x 2160 up to 120 Hz
VIEWING ANGLE	Horizontal: 178° Vertical: 178°
PIXEL PITCH	Horizontal: 0.18159 mm Vertical: 0.18159 mm
PIXEL PER INCH (PPI)	139
CONTRAST RATIO	3000:1 (typical)
ASPECT RATIO	16:9
BACKLIGHT TECHNOLOGY	LED Edgelight System
BRIGHTNESS	300 cd/m <sup>2</sup> (typical)
HDR	HDR10
RESPONSE TIME	<ul style="list-style-type: none"> <li>• Normal mode: 8 ms (gray to gray)</li> <li>• Fast mode: 5 ms (gray to gray)</li> <li>• Extreme mode: 4 ms (gray to gray)</li> </ul>
COLOR GAMUT	<ul style="list-style-type: none"> <li>• sRGB 99% (CIE 1931) (typical)</li> <li>• DCI-P3 95% (CIE 1976) (typical)</li> </ul>
COLOR DEPTH	1.07 billion colors
TÜV EYECOMFORT	4 star
CONNECTIVITY	Video port <ul style="list-style-type: none"> <li>• 2 x HDMI ports (HDCP 1.4 and 2.2) (Supports up to UHD 3840 x 2160, 120 Hz, FRL, HDR, VRR as per specified in HDMI 2.1)</li> <li>• 1 x DisplayPort 1.4 (HDCP 1.4 and 2.2) (Supports up to UHD 3840 x 2160, 120 Hz, HDR, VRR)</li> </ul> USB port <ul style="list-style-type: none"> <li>• Not Applicable</li> </ul>
VARIABLE REFRESH RATE	<ul style="list-style-type: none"> <li>• AMD FreeSync™ Premium</li> <li>• HDMI VRR</li> </ul>
ADJUSTABILITY	Height adjustment up to 100 mm Tilt -5°/+21° Swivel: Not Applicable Slant adjust -4°/+4°
DISPLAY SCREEN COATING	Anti-glare with hard-coating 3H
SOFTWARE COMPATIBILITY	Dell Display and Peripheral Manager (DDPM) for Windows operating system
REMOTE ASSET MANAGEMENT	Yes, using Dell Display and Peripheral Manager
VOLTAGE REQUIRED	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/1.5 A
POWER CONSUMPTION	0.3 W (Off mode) 0.3 W (Standby mode) 32.0 W (On mode) 85 W (Maximum) 31.0 W (Pon) 96.8 kWh (TEC)
AUDIO OUTPUT	2 Integrated 5 W speakers

FEATURE	TECHNICAL SPECIFICATION
BEZEL WIDTH – TOP	7.62 mm (0.30 in.)
BEZEL WIDTH – LEFT OR RIGHT	7.62 mm (0.30 in.)
BEZEL WIDTH – BOTTOM	13.00 mm (0.51 in.)
DIMENSIONS (WITH STAND) – HEIGHT (EXTENDED)	545.74 mm (21.49 in.)
DIMENSIONS (WITH STAND) – HEIGHT (COMPRESSED)	445.74 mm (17.55 in.)
DIMENSIONS (WITH STAND) – WIDTH	712.54 mm (28.05 in.)
DIMENSIONS (WITH STAND) – DEPTH	221.84 mm (8.73 in.)
DIMENSIONS (WITHOUT STAND) – HEIGHT	412.77 mm (16.25 in.)
DIMENSIONS (WITHOUT STAND) – WIDTH	712.54 mm (28.05 in.)
DIMENSIONS (WITHOUT STAND) – DEPTH	61.36 mm (2.42 in.)
STAND DIMENSIONS – HEIGHT (EXTENDED)	410.30 mm (16.15 in.)
STAND DIMENSIONS – HEIGHT (COMPRESSED)	371.91 mm (14.64 in.)
STAND DIMENSIONS – WIDTH	259.01 mm (10.20 in.)
STAND DIMENSIONS – DEPTH	221.84 mm (8.73 in.)
WEIGHT WITH PACKAGING	13.65 kg (30.09 lb)
WEIGHT WITH STAND ASSEMBLY AND CABLES	8.77 kg (19.33 lb)
WEIGHT WITHOUT STAND ASSEMBLY (WITHOUT CABLES)	5.97 kg (13.16 lb)
WEIGHT OF STAND ASSEMBLY	2.53 kg (5.58 lb)
FLAT PANEL MOUNT INTERFACE	VESA (100 mm x 100 mm)
SECURITY	Security lock slot (cable lock sold separately)
COMPLIANT STANDARDS	<ul style="list-style-type: none"> <li>• ENERGY STAR 8.0</li> <li>• RoHS Compliant</li> <li>• Product Safety, EMC and Environmental Datasheets</li> <li>• Dell Regulatory Compliance Home Page</li> <li>• Dell and the Environment</li> <li>• TÜV Eye Comfort 4 Star</li> <li>• BFR/PVC reduce monitor (Circuit boards are made from BFR/PVC-free laminates.).</li> <li>• Arsenic-Free glass and Mercury-Free for the panel only.</li> </ul>

FEATURE	TECHNICAL SPECIFICATION
TEMPERATURE RANGE	<ul style="list-style-type: none"><li>• Operating: 0°C to 40°C (32°F to 104°F)</li><li>• Non-Operating: -20°C to 60°C (-4°F to 140°F)</li></ul>
HUMIDITY RANGE	<ul style="list-style-type: none"><li>• Operating: 10% to 80% (non-condensing)</li><li>• Non-Operating: 5% to 90% (non-condensing)</li></ul>
ALTITUDE	<ul style="list-style-type: none"><li>• Operating: 5,000 m (16,400 ft) maximum</li><li>• Non-Operating: 12,191 m (40,000 ft) maximum</li></ul>
WHAT'S INCLUDED	<ul style="list-style-type: none"><li>• Monitor</li><li>• Side I/O-Cover</li><li>• Stand riser</li><li>• Stand base</li><li>• Power cable</li><li>• 1 x HDMI cable - 1.80 m</li><li>• QR card</li><li>• Safety, Environmental, and Regulatory Information</li></ul>

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.