

Power the modern PC workspace

Dell Pro Smart Dock

SD25





Premium user experiences Work smarter and faster with modern upgrades including native support for up to 4 highres displays, faster network and USB speeds and more ports, including USB-A with PowerShare, to keep your devices charged without the need for PC power.



Power the AI PC smart office

Designed with enhanced compatibility and best in class power delivery, drive up to 130W to new Dell AI PCs (and 96W to non-Dell PCs).1 All-new built-in management capabilities make this dock the right solution to power the Al PC smart office.



Most manageable dock

Remotely manage your smart docks without end-user presence from the Dell Device Management Console - the industry's first holistic peripheral management solution that configures, deploys, and updates smart docks over secure Wi-Fi.2



A leader in sustainable innovation

Built with at least 65% postconsumer recycled materials4 and packaged with 100% recycled or renewable packaging.5

Thoughtful design

Configure your workspace with an ambidextrous USB-C cable that can be routed left or right. Features a new robust USB-C connector, designed for enhanced durability.



Most secure smart dock

Dell Pro Smart Docks are designed with robust security features to ensure the protection of data both in transit and at rest, going beyond the industry standard.3

Explore the Dell Pro Smart Dock in 3D



Elevate IT efficiency

Simplify PC workspace management at scale

World's most manageable docks¹

Multiply efficiency across your fleet. Manage your Dell Pro Smart Docks remotely from the Dell Device Management Console. No additional software or PC connection required completely reimagines IT efficiency.

The industry's most holistic cloudbased PCs and peripheral management platform² provides a unified experience managing Dell docks, displays and PC accessories – all in one place.

Modernization made easy

Secure sign-on (SSO) with Microsoft Intune makes it easy to bring the entire fleet into view, with no added complexity to the workday. Automating tedious tasks frees IT time and resources to innovate for the future.

Uninterrupted productivity

Reduce IT efforts by scheduling updates during off-hours, while ensuring fleetwide firmware compliance and eliminating end user interruptions.

World's most secure smart docks³

Designed to keep users working confidently, Dell Pro Smart Docks feature enterprise-grade WPA-3 192-bit encryption for secure Wi-Fi communication, as well as tamper-resistant, hardware-based encryption to safeguard sensitive data

Layer on security with port disablement via the management console

Learn more and start using the Dell Device Management Console

^{1, 2} Based on Dell internal analysis – December 2024





Designed for sustainability

The new generation of Dell Pro Smart Docks reflect a commitment to sustainable design innovation to reduce their environmental impact



Sustainably crafted

Designed with up to 65% postconsumer recycled (PCR) plastic, with 2 types of recycled materials in the chassis and bumpers¹



Eco-conscious packaging

Dell Pro Smart Docks are packaged with 100% recycled or renewable packaging² to reduce packaging waste.



Seamless transitions

Asset Recovery Services help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals. <u>Learn more</u>

Ports & Slots





- 1 USB-A 3.2 Gen 2 with PowerShare
- 2 USB-C 3.2 Gen 2
- 3 HDMI 2.1
- 4 DisplayPort 1.4
- 5 DisplayPort 1.4
- 6 USB-C 3.2 Gen 2 Multi-function DisplayPort 1.4

- 7 USB-A 3.2 Gen 2 with PowerShare
- 8 USB-A 3.2 Gen 2 with PowerShare
- 9 USB-A 3.2 Gen 2 with PowerShare
- 10 2.5 Gigabit Ethernet (RJ45)
- 11 Power In

DOCKING INTERFACE DOCKING INTERFACE USB Type-C with DP Alt Mode Connector Power Adapter 180 Watt AC with up to 130 Watt power delivery to Dell Commercial Notebooks Up to 96 Watts power delivery to non-Dell systems DP1.4 without Display Stream Compression Up to: 4 x SXGA(1280x1024)@60Hz 3 x FHD(1920x1080)@60Hz 1 x 4 K(3404 x 1440)@60Hz 1 x 4 K(3404 x 1440)@60Hz 1 x 4 K(3404 x 1440)@60Hz 2 x 5K (5120 x 2160)@60Hz 3 x WOHD(3440 x 1440)@60Hz 1 x 6K (6144 x 3456)@60Hz 1 x 6K (6144 x 3456)@60Hz VIDEO INTERFACES VIDEO INTERFACES 4 x USB-A 3.2 Gen 2 (10 Gbps) 1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C Multi-function DisplayPort (7.5W) All deliver power with or without PC MANAGEMENT MAC address pass-through PXE Boot Dock Power Button Sync Wake-On-LAN WLAN to LAN switch Kernel Direct Memory Access (DMA) protection HOST SOFTWARE (WINDOWS) Dell Firmware Utility Dell Display and Peripheral Manager Dell Command Update POCK MANAGEMENT FEATURES Remote firmware updates without a PC Host PC based firmware updates Firmware update on disconnect Port disablement independent of PC CLOUD MANAGEMENT (NO PC REQUIRED) Dell Device Management Console enables: Maintain specific firmware version or downgrade Peripheral inventory and status CLOUD MANAGEMENT ENROLLMENT ENROLLMENT Dell Display and Peripheral Manager Dell Management Agent	FEATURE	TECHNICAL SPECIFICATION
Power Adapter 180 Watt AC with up to 130 Watt power delivery to Dell Commercial Notebooks Up to 96 Watts power delivery to non-Dell systems DP1.4 without Display Stream Compression Up to: 4 x SXGA(1280x1024)@60Hz 3 x FHD(1920x1080)@60Hz 2 x Q HD/12560x1440)@60Hz 1 x 4K(3840 x 2160)@60Hz 1 x 4K(3840 x 2160)@60Hz 2 x SWCHD(3440 x 1440)@60Hz 3 x WCHD(3440 x 1440)@60Hz 2 x 55 K(5120 x 2160)@60Hz 2 x 55 K(5120 x 2160)@60Hz 1 x 6K (6144 x 3456)@60Hz 2 x DP1.4 USB PORTS (DATA ONLY) USB-C 3.2 Gen 2 Multi-function DisplayPort 1.4 USB PORTS (POWER) 4 x USB-A 3.2 Gen 2 (10 Gbps) 1 x USB-C 3.2 Gen 2 (10 Gbps) 1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C 3.1 Gen 2 (15W) 1 x USB-C 3.2 Gen 2 (15W) 1 x U	MODEL	Dell Pro Smart Dock SD25
POWER POWER Dell Commercial Notebooks Up to 96 Watts power delivery to non-Dell systems DP1.4 without Display Stream Compression Up to: 4 x SXGA(1280x1024)@60Hz 3 x FHD(1920x1080)@60Hz 1 x 4K(3840 x 2160)@60Hz 1 x 4K(3840 x 2160)@60Hz 1 x 4K(3840 x 1440)@60Hz 3 x WOHD(3440 x 1440)@60Hz 3 x WOHD(3440 x 1440)@60Hz 2 x 5K (5120 x 2160)@60Hz 1 x 6K (6144 x 3456)@60Hz 2 x 5K (5120 x 2160)@60Hz 1 x 6K (6144 x 3456)@60Hz 2 x DP1.4 1 x USB-C 3.2 Gen 2 Multi-function DisplayPort 1.4 USB PORTS (DATA ONLY) 4 x USB-A 3.2 Gen 2 (10 Gbps) 1 x USB-C 3.2 Gen 2 (15W) 2 Wake-On-LAN WLAN to LAN switch Kernel Direct Memory Access (DMA) protection HOST SOFTWARE (WINDOWS) Dell Firmware Utility Dell Display and Peripheral Manager Dell Command Update POCK MANAGEMENT FEATURES Remote firmware updates without a PC Host PC based firmware updates Fermware update on disconnect Port disablement independent of PC CLOUD MANAGEMENT (NO PC REQUIRED) Poll Device Management Console enables: - Automatic or scheduled firmware updates - Peripheral inventory and status Zero Touch provisioning with DHCP Auto Discovery or DNS SRV Dell Display and Peripheral Manager	DOCKING INTERFACE	USB Type-C with DP Alt Mode Connector
DP1.4 without Display Stream Compression Up to: 4 x SXGA(1280x1024)@60Hz 3 x FHD(1920x1080)@60Hz 2 x QHD(2560x1440)@60Hz 1 x 4k(3840 x 2160)@60Hz 2 x QHD(2560x1440)@60Hz 1 x 4k(3840 x 2160)@60Hz DP1.4 / DP2.1 with Display Stream Compression Up to: 4 x WQHD(3440 x 1440) @60Hz 3 x WQHD(3440 x 1440) @60Hz 3 x WQHD(3440 x 1440) @60Hz 1 x 6k (6144 x 3456)@60Hz VIDEO INTERFACES 2 x DP1.4 1 x HDMI 2.1 1 x USB-C 3.2 Gen 2 Multi-function DisplayPort 1.4 USB PORTS (DATA ONLY) 4 x USB-A 3.2 Gen 2 (10 Gbps) 1 x USB-C 3.2 Gen 2 (10 Gbps) 1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C Multi-function DisplayPort (7.5W) All deliver power with or without PC MAC address pass-through PXE Boot Dock Power Button Sync Wake-On-LAN WLAN to LAN switch Kernel Direct Memory Access (DMA) protection HOST SOFTWARE (WINDOWS) Dell Firmware Utility Dell Display and Peripheral Manager Dell Command Update DOCK MANAGEMENT FEATURES Firmware updates without a PC Host PC based firmware updates Firmware updates on disconnect Port disablement independent of PC Dell Device Management Console enables: Automatic or scheduled firmware updates ' Automatic or scheduled firmware version or downgrade ' Peripheral inventory and status CLOUD MANAGEMENT ENROLLMENT ENROLLMENT ENROLLMENT Dell Display and Peripheral Manager	POWER	power delivery
Up to: 4 x SXGA(1280x1024)@60Hz 3 x FHD(1920x1080)@60Hz 2 x QHD(2560x1440)@60Hz 1 x 4K(3840 x 2160)@60Hz 1 x 4K(3840 x 2160)@60Hz DP1.4 / DP2.1 with Display Stream Compression Up to: 4 x WQHD(3440 x 1440) @60Hz 2 x MPD(3440 x 1440) @60Hz 2 x MPD(3440 x 1440) @60Hz 1 x 6K (6144 x 3456) @60Hz 1 x 6K (6144 x 3456) @60Hz 1 x USB-C 3.2 Gen 2 Multi-function DisplayPort 1.4 USB PORTS (DATA ONLY) 4 x USB-A 3.2 Gen 2 (10 Gbps) 1 x USB-C 3.2 Gen 2 (10 Gbps) 1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C Multi-function DisplayPort (7.5W) All deliver power with or without PC MAC address pass-through PXE Boot Dock Power Button Sync Wake-On-LAN WLAN to LAN switch Kernel Direct Memory Access (DMA) protection HOST SOFTWARE (WINDOWS) Dell Firmware Utility Dell Display and Peripheral Manager Dell Command Update DOCK MANAGEMENT FEATURES Remote firmware updates without a PC Host PC based firmware updates Firmware update on disconnect Port disablement independent of PC CLOUD MANAGEMENT (NO PC REQUIRED) Dell Device Management Console enables: - Automatic or scheduled firmware updates - Maintain specific firmware version or downgrade - Peripheral inventory and status CLOUD MANAGEMENT ENROLLMENT CLOUD MANAGEMENT ENROLLMENT Dell Display and Peripheral Manager		Up to 96 Watts power delivery to non-Dell systems
VIDEO INTERFACES 1 x HDMI 2.1 1 x USB-C 3.2 Gen 2 Multi-function DisplayPort 1.4 USB PORTS (DATA ONLY) 4 x USB-A 3.2 Gen 2 (10 Gbps) 1 x USB-C 3.2 Gen 2 (10 Gbps) 4 x USB-A 3.2 Gen 2 (10 Gbps) 4 x USB-A 3.2 Gen 2 (10 Gbps) 4 x USB-C 3.2 Gen 2 (15W) 1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C Multi-function DisplayPort (7.5W) All deliver power with or without PC MAC address pass-through PXE Boot Dock Power Button Sync Wake-On-LAN WLAN to LAN switch Kernel Direct Memory Access (DMA) protection HOST SOFTWARE (WINDOWS) Dell Firmware Utility Dell Display and Peripheral Manager Dell Command Update Remote firmware updates without a PC Host PC based firmware updates Firmware update on disconnect Port disablement independent of PC CLOUD MANAGEMENT (NO PC REQUIRED) CLOUD MANAGEMENT ENROLLMENT ENROLLMENT ENROLLMENT ENROLLMENT ENROLLMENT Dell Display and Peripheral Manager Zero Touch provisioning with DHCP Auto Discovery or DNS SRV Dell Display and Peripheral Manager	DISPLAY SUPPORT	Up to: 4 x SXGA(1280x1024)@60Hz 3 x FHD(1920x1080)@60Hz 2 x QHD(2560x1440)@60Hz 1 x 4K(3840 x 2160)@60Hz DP1.4 / DP2.1 with Display Stream Compression Up to: 4 x WQHD(3440 x 1440) @60Hz 3 x WQHD(3440 x 1440) @60Hz 2 x 5K (5120 x 2160) @60Hz
USB PORTS (POWER) 4 x USB-A 3.2 Gen 2 (4.5W each) 1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C Multi-function DisplayPort (7.5W) All deliver power with or without PC MANAGEMENT HOST PC MANAGEMENT HOST SOFTWARE (WINDOWS) Dell Firmware Utility Dell Display and Peripheral Manager Dell Command Update Remote firmware updates without a PC Host PC based firmware updates Firmware update on disconnect Port disablement independent of PC CLOUD MANAGEMENT (NO PC REQUIRED) CLOUD MANAGEMENT ENROLLMENT CLOUD MANAGEMENT ENROLLMENT CLOUD MANAGEMENT ENROLLMENT CLOUD MANAGEMENT ENROLLMENT Dell Device Management Console enables: Automatic or scheduled firmware updates Maintain specific firmware version or downgrade Peripheral inventory and status Zero Touch provisioning with DHCP Auto Discovery or DNS SRV Dell Display and Peripheral Manager	VIDEO INTERFACES	1 x HDMI 2.1
1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C Multi-function DisplayPort (7.5W) All deliver power with or without PC MAC address pass-through PXE Boot Dock Power Button Sync Wake-On-LAN WLAN to LAN switch Kernel Direct Memory Access (DMA) protection HOST SOFTWARE (WINDOWS) Dell Firmware Utility Dell Display and Peripheral Manager Dell Command Update Remote firmware updates without a PC Host PC based firmware updates Firmware updates on disconnect Port disablement independent of PC CLOUD MANAGEMENT (NO PC REQUIRED) Dell Device Management Console enables: Automatic or scheduled firmware updates • Automatic or scheduled firmware updates • Peripheral inventory and status Zero Touch provisioning with DHCP Auto Discovery or DNS SRV Dell Display and Peripheral Manager		
HOST PC MANAGEMENT HOST PC MANAGEMENT HOST SOFTWARE (WINDOWS) Dell Firmware Utility Dell Display and Peripheral Manager Dell Command Update Remote firmware updates without a PC Host PC based firmware updates Firmware update on disconnect Port disablement independent of PC CLOUD MANAGEMENT (NO PC REQUIRED) CLOUD MANAGEMENT (NO PC REQUIRED) CLOUD MANAGEMENT ENROLLMENT CLOUD MANAGEMENT ENROLLMENT Dell Display and Peripheral Manager PEX Boot Dock Power Button Sync Wake-On-LAN WLAN to LAN switch Kernel Direct Memory Access (DMA) protection Dell Firmware Utility Dell Display and Peripheral Manager	USB PORTS (POWER)	1 x USB-C 3.2 Gen 2 (15W) 1 x USB-C Multi-function DisplayPort (7.5W)
Dell Display and Peripheral Manager Dell Command Update Remote firmware updates without a PC Host PC based firmware updates Firmware updates Firmware updates Firmware updates Firmware update on disconnect Port disablement independent of PC Dell Device Management Console enables: Automatic or scheduled firmware updates Maintain specific firmware version or downgrade Peripheral inventory and status Zero Touch provisioning with DHCP Auto Discovery or DNS SRV Dell Display and Peripheral Manager		PXE Boot Dock Power Button Sync Wake-On-LAN WLAN to LAN switch
DOCK MANAGEMENT FEATURES Host PC based firmware updates Firmware update on disconnect Port disablement independent of PC Dell Device Management Console enables: • Automatic or scheduled firmware updates • Maintain specific firmware version or downgrade • Peripheral inventory and status Zero Touch provisioning with DHCP Auto Discovery or DNS SRV Dell Display and Peripheral Manager		Dell Display and Peripheral Manager
CLOUD MANAGEMENT (NO PC REQUIRED) • Automatic or scheduled firmware updates • Maintain specific firmware version or downgrade • Peripheral inventory and status Zero Touch provisioning with DHCP Auto Discovery or DNS SRV Dell Display and Peripheral Manager		Host PC based firmware updates Firmware update on disconnect
CLOUD MANAGEMENT or DNS SRV ENROLLMENT Dell Display and Peripheral Manager		Automatic or scheduled firmware updates Maintain specific firmware version or downgrade
		or DNS SRV Dell Display and Peripheral Manager

FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell Pro Smart Dock SD25
NETWORKING	2.5 Gigabit Ethernet
LED INDICATORS	Remote Management LED Power Button LED RJ45 LEDs
SECURITY SLOT TYPE (CABLE LOCK SOLD SEPARATELY)	1 x Kensington lock slot 1 x Wedge-shaped lock slot
DIMENSIONS	205mm x 90mm x 35.25mm 8.07in x 3.54in x 1.39in
DOCK WEIGHT (WITHOUT POWER ADAPTER)	562 g 1.24 lb
CABLE LENGTH	0.9 m
OPERATING SYSTEMS	Windows 10 Windows 11 Ubuntu 24.04 Red Hat Enterprise Linux 9.6 + ChromeOS 137
WARRANTY	3-Year Limited Hardware Warranty with Advanced Exchange Additional 4- & 5-year warranty optional
WHAT'S IN THE BOX	Docking station Power adapter and power cord Documentation (Quick Start Guide, Safety, Environmental, and Regulatory Information)